

Drug Facts (continued)

Ask a doctor or pharmacist before use if the child is

- under a doctor's care for any serious condition
- taking any other drug
- taking any other product that contains ibuprofen, or any other fever reducer/pain reliever

When using this product give with food or milk if stomach upset occurs

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- fever or pain gets worse or lasts more than 3 days
- the child does not get any relief within first day (24 hours) of treatment
- stomach pain or upset gets worse or lasts
- redness or swelling is present in the painful area
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than directed
- shake well before using
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- measure with the dosing device provided. Do not use with any other device.
- repeat dose every 6-8 hours, if needed
- do not use more than 4 times a day

Dosing Chart

Weight (lb)	Age (mos)	Dose (mL)
under 6 mos		ask a doctor
12-17 lbs	6-11 mos	1.25 mL
18-23 lbs	12-23 mos	1.875 mL

For Ages 6 mos-23 mos

Infants' Motrin[®]

CONCENTRATED Drops

IBUPROFEN ORAL SUSPENSION
50 mg per 1.25 mL

Fever Reducer/Pain Reliever
Dye-Free
BERRY-FLAVORED DROPS

Drug Facts (continued)

Other information

- do not use if plastic carton wrap or bottle wrap imprinted "Safety Seal[®]" is broken or missing
- store at 20 - 25°C (68 - 77°F)
- see bottom of box for lot number and expiration date

Inactive ingredients

artificial flavors, citric acid, corn starch, glycerin, polysorbate 80, purified water, sodium benzoate, sorbitol, sucrose, xanthan gum

Questions or comments?

Call toll free 1-800-962-5357



McNeil Consumer Healthcare
DIVISION OF MCNEIL - PPC, INC.
FORT WASHINGTON, PA 19034 USA
© MCN-PPC, Inc. '01
www.motrin.com
U.S. Patent No. 5,374,659; 5,621,005

Infants' Motrin[®]

CONCENTRATED Drops

IBUPROFEN ORAL SUSPENSION
Read Instructions Carefully Child-Resistant Safety Cap

For Ages 6 mos-23 mos

NDC 50580-198-01

Infants' Motrin[®]

CONCENTRATED Drops

IBUPROFEN ORAL SUSPENSION
50 mg per 1.25 mL

Fever Reducer/Pain Reliever

NON-STAINING DYE-FREE

Lasts up to 8 hours



NEW

New Syringe Dosing Device

Dye-Free

BERRY-FLAVORED DROPS

Alcohol Free

1 fl oz (30 mL)

Important: Read all product information before using. Keep this box for important information. This product is intended for use in children ages 6 months to 23 months of age.

Drug Facts

Active ingredient Purposes
(in each 1.25mL) Fever reducer/
Ibuprofen 50 mg.....pain reliever

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

Warnings

Allergy alert: Ibuprofen may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.

Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever

Ask a doctor before use if the child has

- not been drinking fluids
- lost a lot of fluid due to continued vomiting or diarrhea
- stomach pain
- problems or serious side effects from taking fever reducers or pain relievers

Labeling Format Information:

Fonts: Helvetica regular, bold and bold italic.

Drug Facts:	9 pt	Leading:	6.5 pt
Header:	8 pt	Bullets:	5 pt
Subheader:	6 pt	Barlines:	2.5 pt
Body Text:	6 pt	Hairlines:	0.5 pt
Drug Facts (continued):	8 pt		

Horizontal Scale: 80-90%

Average Kerning: -20

DO NOT USE IF BOTTLE WRAP IMPRINTED
"SAFETY SEAL" IS BROKEN OR MISSING.

NDC 50580-198-01

Infants' Motrin[®]

CONCENTRATED
Drops

IBUPROFEN ORAL SUSPENSION
Fever Reducer/Pain Reliever
Dye-Free
BERRY-FLAVORED DROPS

1 fl oz (30 mL) 50 mg per 1.25 mL

Important: Read all product information before using. Keep the box for important information. This product is intended for use in children ages 6 months to 23 months of age.

Uses temporarily: • reduces fever • relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

Warnings
Allergy alert: Ibuprofen may cause a severe allergic reaction which may include: • hives • facial swelling • asthma (wheezing) • shock
Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor. Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever.
When using this product give with food or milk if stomach upset occurs.
Stop use and ask a doctor if • an allergic reaction occurs. Seek medical help right away. • fever or pain gets worse or lasts more than 3 days • the child does not get any relief within first day (24 hours) of treatment • stomach pain or upset gets worse or lasts • redness or swelling is present in the painful area • any new symptoms appear. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions • do not give more than directed • shake well before using • find the right dose on chart below. If possible, use weight to dose; otherwise use age. • measure with the dosing device provided. Do not use with any other device. • repeat dose every 6-8 hours, if needed • do not use more than 4 times a day

Weight (lb)	Age (mos)	Dose (mL)
under 6 mos		ask a doctor
12-17 lbs	6-11 mos	1.25 mL
18-23 lbs	12-23 mos	1.875 mL


Other information • store at 20 - 25°C (68 - 77°F)
Questions or comments? Call toll free 1-800-962-5357
MCNEIL-PPC, INC., FORT WASHINGTON, PA 19034 USA
©MCN-PPC, Inc. '01 www.motrin.com
U.S. Patent No. 5,374,659; 5,621,005

EXP. DATE:

LOT:

XXXXXXX

150% OF SIZE



00000000

DO NOT USE IF BOTTLE WRAP IMPRINTED
"SAFETY SEAL" IS BROKEN OR MISSING.

NDC 50580-198-01

Infants' Motrin[®]

CONCENTRATED
Drops

IBUPROFEN ORAL SUSPENSION
Fever Reducer/Pain Reliever
Dye-Free
BERRY-FLAVORED DROPS

1 fl oz (30 mL) 50 mg per 1.25 mL

Important: Read all product information before using. Keep the box for important information. This product is intended for use in children ages 6 months to 23 months of age.

Uses temporarily: • reduces fever • relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

Warnings
Allergy alert: Ibuprofen may cause a severe allergic reaction which may include: • hives • facial swelling • asthma (wheezing) • shock
Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor. Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever.
When using this product give with food or milk if stomach upset occurs.
Stop use and ask a doctor if • an allergic reaction occurs. Seek medical help right away. • fever or pain gets worse or lasts more than 3 days • the child does not get any relief within first day (24 hours) of treatment • stomach pain or upset gets worse or lasts • redness or swelling is present in the painful area • any new symptoms appear. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions • do not give more than directed • shake well before using • find the right dose on chart below. If possible, use weight to dose; otherwise use age. • measure with the dosing device provided. Do not use with any other device. • repeat dose every 6-8 hours, if needed • do not use more than 4 times a day

Weight (lb)	Age (mos)	Dose (mL)
under 6 mos		ask a doctor
12-17 lbs	6-11 mos	1.25 mL
18-23 lbs	12-23 mos	1.875 mL

Other information • store at 20 - 25°C (68 - 77°F)
Questions or comments? Call toll free 1-800-962-5357
MCNEIL-PPC, INC., FORT WASHINGTON, PA 19034 USA
©MCN-PPC, Inc. '01 www.motrin.com
U.S. Patent No. 5,374,659; 5,621,005

EXP. DATE:

LOT:

XXXXXXX

Labeling Format Information:

Fonts: Helvetica regular, bold and bold italic.

Drug Facts:	NA	Leading:	4.5 pt
Header:	4.5 pt	Bullets:	4.5 pt
Subheader:	4.5 pt	Barlines:	NA
Body Text:	4.5 pt	Hairlines:	NA
Drug Facts (continued):	NA		

Horizontal Scale: 67-78%

Average Kerning: -20

**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Charles Ganley
1/16/02 08:06:58 AM